


LOW VOLTAGE PVC CONTROL (MULTICORE) CABLE

1kV FR PVC Copper 7 Core Armoured



General Data:

Properties:

Copper	7 Core
Specification	SANS 1507
Voltage Rating	600 / 1000V
PVC Insulated	

Typical


Applications:

Power Control	Circuits
	Robots

Options:

Standard	PVC
	Red Stripe
	Blue Stripe

Cable Description:



Technical Information and Photographs from CBI electric

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400


Email: aep.enquiries@actom.co.za

Tel: +27 11 878 3050

Website: www.actomep.co.za

LOW VOLTAGE PVC CONTROL (MULTICORE) CABLE

1kV FR PVC Copper 7 Core Armoured



Product Information:

Cable Size (mm ²)	Approximate Diameter (mm)	Volt Drop (Single Phase) (mV/A/m)	Approximate Cable Mass	
			Cable	Gross (500m)
1	16	43.31	0.53	265
1.5	17	28.96	0.6	300
2.5	18	17.73	0.7	350
4	21	11.03	0.94	470
6	23.5	7.37	1.25	625
10	26	4.38	1.6	800



Technical Information and Photographs from CBI electric

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Email: aep.enquiries@actom.co.za

Tel: +27 11 878 3050

Website: www.actomep.co.za

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

