

RECESSED LUMINAIRES ALPHA



Approximate Dimensions:

Width: 592 mm
Length: 1220 mm

General Data:


Construction:

Body	Cold formed Sheet Metal with White Epoxy Powder Paint
Louvre	High-brightness Aluminum lay-in LBR Louvre
Lamp Holders	Positive Action Rota-lock
Ballast	Available with low loss Magnetic or high Efficiency "A2" Electronic
IP Rating	IP20


Typical Applications:

Low cost indoor lighting applications
Office's
Schools

Front View:



Side View:



RECESSED LUMINAIRES

ALPHA



Options:

- .../CCG (Magnetic Ballast)
- .../ECG (Electronic Ballast)
- .../ECG-DIM (Electronic Dimmable Ballast)
- .../ECG-EMG (Electronic Ballast with emergency back-up)

Product Information:

Product Code	LampWatt's	H (mm)	L (mm)	W (mm)	(Kg)
ALP-218	2x18W	100	620	292	3,2
ALP-318	3x 18W	100	620	492	5,6
ALP-418	4x 18W	100	620	592	5,8
ALP-236	2x 36W	100	1220	292	6,0
ALP-336	3x 36W	100	1220	492	9,2
ALP-436	4x 36W	100	1220	592	9,8
ALP-258	2x 58W	100	1520	292	10,8
ALP-358	3x 58W	100	1520	492	11,5

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

