

HALOGEN LAMPS

Haloline Standard and Superstar (Double ended Lamps with Tube Base)



General Data:

Product Benefits:

Lighting	Brilliant accent lighting
Direct Replacement	Standard tubular halogen lamps
Thermal Output	Low compared to standard version
Transformer	None required
Contains	No mercury
Haloline Superstar	Energy saver

Product Features:

Both are Dimmable:	100 % for Standard
Perfect Colour Rendering:	(R _a : 100)
Average Life:	2 000h
Burning Position:	p15 for Standard Version

Typical Applications:

Lighting	*General illumination
	*Pathway lighting
	*Entrance lighting
	*Restaurants, hotels, offices, public buildings
	*Accentuating buildings and room structures

♦ Only Applies to Haloline Superstar

Colour Type:

	Sky White	Cool Daylight	Daylight	Cool White	White	Warm White	INTERNA	Special Light Colours		
Code:	880	865	965	954	840	940	835	830	830	827
	8 000 K	6 500 K	5 400K	5 400K	4 000K	4 000K	3 500K	3 000K	3 000K	2 700K



Technical Information and Photographs from OSRAM
Selected Information has been Edited by ACTOM Electrical Products

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Email: aep.enquiries@actom.co.za

Tel: +27 11 878 3050

Website: www.actomep.co.za

HALOGEN LAMPS

Haloline Standard and Superstar (Double ended Lamps with Tube Base)



HALOLINE SST 80 W 230 V R7S,
HALOLINE SST 120 W 240 V R7S,
HALOLINE SST 160 W 230 V R7S,
HALOLINE SST 230 W 240 V R7S,
HALOLINE SST 400 W 240 V R7S,

Product Information :

Product Description	W	V	Length (mm)	Diameter (mm)	Lumen (lm)	CCT (K)	CRI (Ra)	Rated Ave Life (h)	EEC
Haloline Superstar (Energy Saver Lamps)									
HALOLINE SST 80 W 230 V R7S	80	230	74.9	12	1400	2950	100	2000	D
HALOLINE SST 120 W 240 V R7S	120	240	80.3	12	2250	2900 or 2950	100	2000	D
HALOLINE SST 160 W 230 V R7S	160	230	114.2	12	3100	2900	100	2000	C
HALOLINE SST 230 W 240 V R7S	230	240	114.2	12	5000	2950	100	2000	C
HALOLINE SST 400 W 240 V R7S	400	240	114.2	12	8750	2950	100	2000	C
Haloline Standard									
HALOLINE 1000 W 240 V R7S (code:55871)	1000	240	185.7	12	16500	2900	100	2000	C
HALOLINE 1500 W 240 V R7S (code:55872)	1500	240	250.7	12	33000	2900	100	2000	C



Technical Information and Photographs from OSRAM
Selected Information has been Edited by ACTOM Electrical Products

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

