


BUILDING WIRES - ILLUMINATION CABLE

2 Core Flat Illumination and Festoon Lighting Cable



General Data:

Properties:

Specification	SABS 1507-2 as a guide
Temperature Range	-10°C to +80°C
Voltage Rating	300 / 500V
Sheath Colour	Black
Packaging	100m shrink-wrapped coils

Cable Description:

Conductors: High conductivity annealed stranded copper conductors

Insulated: Flexible grade PVC

Sheathed: Flexible grade PVC in a flat parallel configuration

Core Colours: Black and Red

Typical

Applications:

Festoon Lighting	Festivals, Parties, Shows, Braais and any application where quick fit lamp holders are used
Cable	Correct size profile and soft sheath allows for a watertight seal between standard lamp holder and cable

Cable Size (mm ²)	Number of Cores	Nominal Amps (A)	Nominal Breadth & Height	Approximate Cable Mass (kg / 100m)
2.5	2	27	10.2 x 5.6	11.55



Technical Information and Photographs from Alvern Cables

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Email: aep.enquiries@actom.co.za

Tel: +27 11 878 3050

Website: www.actomep.co.za

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

