

WALL & CEILING MOUNT LUMINAIRES MU



Approximate Dimensions:

Height: 65 mm

Length: 270 mm

General Data:

Construction:

Body Die cast LM6 aluminum body with stainless fasteners and heli-coils inserts, painted with Epoxy powder paint

Lens UV Stabilized high impact opal PC

Ballast Available with low loss Magnetic or high Efficiency Electronic


IP Rating IP65

LED LED version available

Typical Applications:

Indoor or outdoor, wall or ceiling general lighting applications
Bathrooms
Passages

Front View:



Side View:



WALL & CEILING MOUNT LUMINAIRES

MU



Options:

.../CCG/WH or SILV (Magnetic ballast, white or Silver)

.../ECG/WH or SILV (Electronic ballast, White or Silver)

Product Information:

Product Code	LampWatt's	H (mm)	L (mm)	W (mm)	(Kg)
MU-118	18W	65	270	270	TBA
MU-223	2x 23W	65	270	270	TBA

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

