

## SUSPENDED FLUORESCENT LUMINAIRES & PENDANTS OMICRON



### Approximate Dimensions:

Width: 400 mm

Length: 1220 mm

### General Data:


#### Construction:

- Body** Cold Formed Sheet Metal with White Epoxy Powder Paint
- Reflector** High-brightness Aluminum Reflector System
- Ballast** Available with low loss Magnetic or high Efficiency Electronic
- IP Rating** IP20


#### Typical Applications:

- Warehouses
- Factories
- Industrial Workshops

### Front View:



### Side View:



## SUSPENDED FLUORESCENT LUMINAIRES & PENDANTS OMICRON



### Options:

- .../CCG (Magnetic ballast)
- .../ECG (Electronic ballast)
- .../ENCL (Enclosed)
- .../SUSP (Suspended option)

### Product Information:

Product Code	LampWatt's	H (mm)	L (mm)	W (mm)	(Kg)
OMI-454	4x 54W	100	1220	400	6,4
OMI-480	4x 54W	100	1520	400	7,4

## Complete your Project:

Please select the items you require and we will be in touch

### Cables and Wires:

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Lighting:

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Transformers (Distribution):

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Accessories:

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

## For more Information on this Product Please Send us the Following

### Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

### Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

## Thank You

### For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

