

SUSPENDED FLUORESCENT LUMINAIRES & PENDANTS

PI



Approximate Dimensions:

Width: 428 mm

Height: 525 mm

General Data:


Construction:

- Body** Cold formed metal box with louvers for cooling and grey Epoxy powder paint
- Reflector** Bright anodized spun aluminum reflector
- Ballast** Available with low loss Magnetic or high Efficiency Electronic
- IP Rating** IP20


Typical Applications:

- Warehouses
- Factories
- Industrial Workshops

Front View 1:



Front View 2:



SUSPENDED FLUORESCENT LUMINAIRES & PENDANTS

PI



Options:

.../CCG (Magnetic Ballast)

.../ECG (Electronic Ballast)

Product Information:

Product Code	LampWatt's	H (mm)	L (mm)	W (mm)	(Kg)
Pi-250-HPS	250W	525	428	428	TBA
Pi-400-HPS	400W	525	428	428	TBA
Pi-250-MH	250W	525	428	428	TBA
Pi-400-MH	400W	525	428	428	TBA
Pi-85-CFL	85W	525	428	428	TBA
Pi-105-CFL	105W	525	428	428	TBA

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

