

RECESSED DOWN LIGHT LUMINAIRES PHI LED



General Data:

Construction:


Body	Cast and Machined Billet Aluminum with Tilt-able Light Module
Lens	UV Stabilized high Impact Clear PC
Driver	Constant Current
IP Rating	IP20

Typical

Applications:

Indoor general and commercial lighting applications	Boardrooms Merchandise display's Kitchens Passages
--	---

Front View:



RECESSED DOWN LIGHT LUMINAIRES PHI LED



Options:

.../3000k

.../4000k

.../DIM (Dimmable Driver)

Product Information:

Product Code	Luminaire Wattage	CCT (K)	CRI / Ra	Initial Lumens (Lm)	Beam Angle	H (mm)	Diameter (mm)
Phi-113-4K	12 W	See options	>85	710	35°	94	107

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

