

WALL & CEILING MOUNT LUMINAIRES THETA



Approximate Dimensions:

Height: 113 mm

Length: 227 mm

General Data:

Construction:

Body Die cast LM6 aluminum body with stainless fasteners and heli-coils inserts, painted with Epoxy powder paint

Lens UV Stabilized high Impact opal PC

Ballast Available with low loss Magnetic or high Efficiency Electronic

IP Rating IP65

Typical

Applications:


Outdoor and indoor Office's

general Schools


lighting applications Passages

Suitable for coastal (Corrosive) areas

Front View:



Side View:



WALL & CEILING MOUNT LUMINAIRES

THETA



Options:

- .../CCG (Magnetic Ballast)
- .../ECG (Electronic Ballast)
- .../ECG-EMG (*Electronic Ballast with emergency back-up)
- .../LLE (LED Light Engine)
- .../EYE (Eye-lid Engine)
- .../GRID (Grid Cover)

*Only available for 1 lamp configuration

Product Information:

Product Code	LampWatt's	H (mm)	L (mm)	W (mm)	(Kg)
THE-113	13W				
THE-118	18W				
THE-126	26W	113	227 ø	227 ø	TBA
THE-110LED	10W				

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

