

OVERHEAD LINES ACSR CABLE

Dog

Product Information:

Cable Data		Dog
Equival. Copper Area	mm ²	64.52
Stranding and Wire Diameter	mm	6 / 4.72 +7 / 1.57
Diameter Over Steel	mm	4.71
Overall Diameter (Std.)	mm	14.15
Aluminium Area	mm ²	104.98
Steel Area	mm ²	13.55
Total Area	mm ²	118.53
Approximate Cable Mass	Kg / Km	
Aluminum		289
Steel		100
Total		389
Ultimate Tensile Strength	Newton	34700
Co-Efficient of Linear Expansion	/ C x 10 ⁶	19.32
Initial Modulus of Elasticity	MPa	48800
Final Modulus of Elasticity	Mpa	76400
DC Resistance at 20°C	Ω / km	0.2733
Current Rating	A	360



Technical Information from Alcon Marepha

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

