


OVERHEAD LINES ACSR CABLE

Weasel



Product Information:

Cable Data		Weasel
Equival. Copper Area	mm ²	19.35
Stranding and Wire Diameter	mm	6 / 1 / 2.59
Diameter Over Steel	mm	2.59
Overall Diameter (Std.)	mm	7.77
Aluminium Area	mm ²	31.61
Steel Area	mm ²	5.27
Total Area	mm ²	36.88
Approximate Cable Mass	Kg / Km	
Aluminum		87.00
Steel		41.50
Total		129
Ultimate Tensile Strength	Newton	11450
Co-Efficient of Linear Expansion	/ C x 10 ⁶	19.31
Initial Modulus of Elasticity	MPa	51500
Final Modulus of Elasticity	Mpa	80400
DC Resistance at 20°C	Ω / km	0.9077
Current Rating	A	170



Technical Information from Alcon Marepha and Photographs from CBI electric

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Email: aep.enquiries@actom.co.za

Tel: +27 11 878 3050

Website: www.actomep.co.za

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

